

Gaining Apex Coaching Centre

(Where Toppers make..... Toppers)

Compiled by: Dapinder Sir

DPP
DAILY PRACTICE PROBLEMS

Class : XIIth
CHEMISTRY


Subject :

Date :

DPP No. : 2


Topic :- Electro Chemistry

- In electrolytic purification, which of the following is made of impure metal?
a) Anode b) Cathode c) Both (a) and (b) d) None of these
- The specific conductivity of 0.1 N KCl solution is $0.0129 \Omega^{-1} \text{cm}^{-1}$. The resistance of the solution in the cell 100Ω . The cell constant of the cell will be
a) 1.10 b) 1.29 c) 0.56 d) 2.80
- Which graph correctly correlates E_{Cell} as a function of concentrations for the cell (for different values of M and M')?



$$E^{\circ}_{\text{Cell}} = 1.10 \text{ V}$$

X – axis : $\log_{10} \frac{[\text{Zn}^{2+}]}{[\text{Cu}^{2+}]}$, Y – axis : E_{Cell}



- In acidic medium MnO_4^- is converted to Mn^{2+} . The quantity of electricity in faraday required to reduce 0.5 mole of MnO_4^- to Mn^{2+} would be
a) 2.5 b) 5 c) 1 d) 0.5
- In electrolysis, oxidation takes place at:
a) Anode
b) Cathode
c) The anode as well as cathode
d) The surface of electrolyte solution

Gaining Apex Coaching Centre

(Where Toppers make..... Toppers)

Compiled by: Dapinder Sir

6. A depolariser used in dry cell batteries is :
a) Ammonium chloride b) Manganese dioxide c) Potassium hydroxide d) Sodium phosphate
7. The $E^\circ_{M^{3+}/M^{2+}}$ values for Cr, Mn, Fe and Co are $-0.41, +1.57, +0.77$ and $+1.97$ V respectively. For which one of these metals, the change in oxidation state from +2 to +3 is easiest?
a) Fe b) Mn c) Co d) Cr
8. The standard reduction electrode potential values of the elements A, B and C are $+0.68, -2.50$ and -0.50 V respectively. The order of their reducing power is :
a) $A > B > C$ b) $A > C > B$ c) $C > B > A$ d) $B > C > A$
9. The number of electrons involved in the reaction when a faraday of electricity is passed through an electrolyte in solution is :
a) 12×10^{46} b) 96500 c) 8×10^{16} d) 6.02×10^{23}
10. The electrolysis of a solution resulted in the formation of H_2 at the cathode and Cl_2 at the anode. The liquid is:
a) Pure water
b) H_2SO_4 solution
c) NaCl solution in water
d) $CuCl_2$ solution in water
11. The passage of electricity in the Daniell cell when Zn and Cu electrodes are connected:
a) From Cu to Zn inside the cell
b) From Cu to Zn outside the cell
c) From Zn to Cu outside the cell
d) None of the above
12. $Ni / Ni^{2+} [1.0 M] || Au^{3+} [1.0 M] / Au$ where E° for Ni^{2+} / Ni is -0.250 V; and E° for Au^{3+} / Au is 0.150 V. The emf of the cell is
a) $+1.25$ V b) -1.75 V c) $+1.75$ V d) $+0.4$ V
13. The product obtained at anode when 50% H_2SO_4 aqueous solution is electrolysed using platinum electrodes is
a) H_2SO_3 b) $H_2S_2O_8$ c) O_2 d) H_2
14. The approximate e.m.f. of a dry cell is :
a) 2.0 V b) 1.2 V c) 6 V d) 1.5 V

Gaining Apex Coaching Centre

(Where Toppers make..... Toppers)

Compiled by: Dapinder Sir

15. E_1 , E_2 , and E_3 are the emfs of the following three galvanic cells respectively
- I. $\text{Zn (s)} | \text{Zn}^{2+} (0.1 \text{ M}) || \text{Cu}^{2+} (1 \text{ M}) | \text{Cu (s)}$
II. $\text{Zn (s)} | \text{Zn}^{2+} (1 \text{ M}) || \text{Cu}^{2+} (1 \text{ M}) | \text{Cu (s)}$
III. $\text{Zn (s)} | \text{Zn}^{2+} (1 \text{ M}) || \text{Cu}^{2+} (0.1 \text{ M}) | \text{Cu (s)}$
Which one of the following is true?
a) $E_2 > E_1 > E_3$ b) $E_1 > E_2 > E_3$ c) $E_3 > E_1 > E_2$ d) $E_3 > E_2 > E_1$
16. The fraction of the total current carried by an ion is known as:
a) Transport number of that ion
b) Conductance of that ion
c) Both(a) and (b)
d) None of the above
17. In a galvanic cell, which is wrong?
a) Anode has negative polarity
b) Cathode has positive polarity
c) Reduction takes place at anode
d) Reduction takes place at cathode
18. The rusting of iron takes place as follows
 $2\text{H}^+ + 2\text{e}^- + \frac{1}{2} \text{O}_2 \rightarrow \text{H}_2\text{O (l)}$;
 $E^\circ = +1.23 \text{ V}$
 $\text{Fe}^{2+} + 2\text{e}^- \rightarrow \text{Fe (s)}$; $E^\circ = -0.44 \text{ V}$
Calculate ΔG° for the net process.
a) -322 kJ mol^{-1} b) -161 kJ mol^{-1} c) -152 kJ mol^{-1} d) -76 kJ mol^{-1}
19. What weight of copper will be deposited by passing 2 faraday of electricity through a solution of Cu(II) salt?
a) 35.6 g b) 63.5 g c) 6.35 g d) 3.56 g
20. Chlorine cannot displace :
a) Fluorine from NaF b) Iodine from NaI c) Bromine from NaBr d) None of these